PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OM8 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid CMB control number.

Sub	ostitute for form 1449A/B/	PTO		Complete if Known		
300	75 di Di Co 10 10 11 1 1 1 2 7 2 0 1	, , ,		Application Number	10/663,741	
11	<b>IFORMATIC</b>	N DI	SCLOSURE	Filing Date	September 17, 2003	
S	TATEMENT	BY	APPLICANT	First Named Inventor	Terry L. Gilton	
•				Art Unit	2811	
	(Use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	1	of	1	Attorney Docket Number	M4065.0656/P656	

U.S. PATENT DOCUMENTS Pages, Columns, Lines, Where Document Number Publication Date Name of Patentee or Relevant Passages or Relevant Cite MM-DD-YYYY Applicant of Cited Document Number-Kind Code<sup>2</sup> ( if known) Figures Appear 6,673,648 01/06/2004 Lowrey

	FOREIGN PATENT DOCUMENTS									
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>4</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear					

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

	NON PATENT LITERATURE DOCUMENTS								
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	<b>T</b> <sup>2</sup>						

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Oraw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

02-15-05

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

Complete if Known Substitute for form 1449A/B/PTO Application Number 10/663,741 **INFORMATION DISCLOSURE** Filing Date September 17, 2003 STATEMENT BY APPLICANT First Named Inventor Terry L. Gilton Art Unit 2811 (Use as many sheets as necessary) Examiner Name Not Yet Assigned M4065.0656/P656 Sheet 1 3 Attorney Docket Number

-			U.S. PA	TENT DOCUMENTS	
Examiner	Cite	Document Number	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant
Initials*	No. <sup>1</sup>	Number-Kind Code <sup>2</sup> ( if known)		,,	Figures Appear
a	Α	US 2004/0035401	2/2004	Ramachandran et al.	
a	В	US 2003/0212724	11/2003	Ovshinsky et al.	
a	U	US 2003/0048744	3/2003	Ovshinsky et al.	
on	D	US 2003/0212725	11/2003	Ovshinsky et al.	
Car	Ε	US RE 37,259E	7/2001	Ovshinsky	
CN	F	US 3,271,591	9/1966	Ovshinsky	
CN	G	US 3,961,314	6/1976	Klose et al.	
CW	H	US 3,966,317	6/1976	Wacks et al.	
CW	I	US 3,983,542	11/1976	Ovshinsky	
CN	J	US 3,988,720	10/1976	Ovshinsky	
ÓV	K	US 4,177,474	12/1979	Ovshinsky	
Car	L	US 4,267,261	5/1981	Hallman et al.	
Ch	М	US 4,597,162	7/1986	Johnson et al.	
CW	N	US 4,608,296	8/1986	Keem et al.	
a	0	US 4,637,895	1/1987	Ovshinsky et al.	
Col	Р	US 4,646,266	2/1987	Ovshinsky et al.	
an	Q	US 4,664,939	5/1987	Ovshinsky	
CN/	R	US 4,668,968	5/1987	Ovshinsky et al.	
ON	S	US 4,670,763	6/1987	Ovshinsky et al.	
Ch/	T	US 4,673,957	6/1987	Ovshinsky et al.	
Cal	Ü	US 4,678,679	7/1987	Ovshinsky	
on	v	US 4,696,758	9/1987	Ovshinsky et al.	
CN	W	US 4,698,234	10/1987	Ovshinsky et al.	
on	X	US 4,710,899	12/1987	Young et al.	
CN	Y	US 4,728,406	3/1988	Banerjee et al.	
CN	Z	US 4,737,379	4/1988	Hudgens et al.	
ar	A1	US 4,766,471	8/1988	Ovshinsky et al.	
cr	B1	US 4,769,338	9/1988	Ovshinsky et al.	
on	C1	US 4,775,425	10/1988	Guha et al.	
a	D1	US 4,788,594	11/1988	Ovshinsky et al.	
	E1	US 4,809,044	2/1989	Pryor et al.	
-CM	F1	US 4,818,717	4/1989	Johnson et al	
(M	G1	US 4,843,443	6/1989	Ovshinsky et al.	
OW .	H1	US 4,845,533	7/1989	Pryor et al.	
cm	11	US 4,853,785	8/1989	Ovshinsky et al.	
en	<del>J1</del>	US 4,891,330	1/1990	Guha et al.	
an	K1	US 5,128,099	7/1992	Strand et al.	
a	L1	US 5,159,661	10/1992	Ovshinsky et al.	
(h)	M1	US 5,166,758	11/1992	Ovshinsky et al.	
an	N1	US 5,177,567	1/1993	Klersy et al.	
a	01	US 5,296,716	3/1994	Ovshinsky et al.	
a	P1	US 5,335,219	8/1994	Ovshinsky et al.	
<del>or</del>	Q1	US 5,359,205	10/1994	Ovshinsky	
On	R1	US 5,341,328	8/1994	Ovshinsky et al.	_
0./	S1	US 5,406,509	4/1995	Ovshinsky et al.	<del></del>
<u> </u>	121	100 0,700,009	7/1333	Organisky et al.	

Substi	tute for form 1449A/E	UPTA		Complete if Known		
30050	tate for form 1449/00	<i></i> 10		Application Number	10/663,741	
IN	FORMATIO	ON DIS	CLOSURE	Filing Date	September 17, 2003	
			PPLICANT	First Named Inventor	Terry L. Gilton	
•				Art Unit	2811	
	(Use as many	sheets as n	ecessary)	Examiner Name	Not Yet Assigned	
Sheet	2	of	3	Attorney Docket Number	M4065.0656/P656	

ON	T1	US 5,414,271	5/1995	Ovshinsky et al.
an	U1	US 5,534,711	7/1996	Ovshinsky et al.
an	V1	US 5,534,712	7/1996	Ovshinsky et al.
on	W1	US 5,536,947	7/1996	Klersy et al.
on	X1	US 5,543,737	8/1996	Ovshinsky
ON	Y1	US 5,591,501	1/1997	Ovshinsky et al.
and	Z1	US 5,596,522	1/1997	Ovshinsky et al.
an	A2	US 5,687,112	11/1997	Ovshinsky
Cor	B2	US 5,694,054	12/1997	Ovshinsky et al.
an	C2	US 5,714,768	2/1998	Ovshinsky et al.
Cw	D2	US 5,825,046	10/1998	Czubatyj et al.
a	E2	US 5,912,839	6/1999	Ovshinsky et al.
ow	F2	US 5,933,365	8/1999	Klersy et al.
Car	G2	US 6,011,757	1/2000	Ovshinsky
Car	H2	US 6,087,674	7/2000	Ovshinsky et al.
an	12	US 6,141,241	10/2000	Ovshinsky et al.
Ow	J2	US 6,339,544	1/2002	Chiang et al.
an	K2	US 6,404,665	6/2002	Lowery et al.
on	L2_	US 6,429,064	8/2002	Wicker
ON	M2	US 6,437,383	8/2002	Xu
Car	N2	US 6,462,984	10/2002	Xu et al.
a	02	US 6,480,438	11/2002	Park
ON	P2	US 6,487,113	11/2002	Park et al.
an	Q2	US 6,501,111	12/2002	Lowery
82	R2	US 6,507,061	1/2003	Hudgens et al.
	S2	US 6,511,862	1/2003	Hudgens et al.
an	T2	ÙS 6,511,867	1/2003	Lowery et al.
an	U2	US 6,512,241	1/2003	Lai
a	V2	US 6,514,805	2/2003	Xu et al.
a	W2	US 6,531,373	3/2003	Gill et al.
an	X2	US 6,534,781	3/2003	Dennison
a	Y2	US 6,545,287	4/2003	Chiang
a	Z2	US 6,545,907	4/2003	Lowery et al.
a	A3	US 6,555,860	4/2003	Lowery et al.
a	B3	US 6,563,164	5/2003	Lowery et al.
CV	C3	US 6,566,700	5/2003	Xu
Ca/	D3	US 6,567,293	5/2003	Lowery et al.
a	E3	US 6,569,705	5/2003	Chiang et al.
ax	F3	US 6,570,784	5/2003	Lowery
PW.	G3	US 6,576,921	6/2003	Lowery
a	Н3	US 6,586,761	7/2003	Lowery
a	13	US 6,589,714	7/2003	Malmon et al.
12	J3	US 6,590,807	7/2003	Lowery
a	K3	US 6,593,176	7/2003	Dennison Winter
a	L3	US 6,597,009	7/2003	Wicker
100	M3	US 6,605,527	8/2003	Dennison et al.
a		US 6,613,604	9/2003	Maimon et al.
au	03	US 6,621,095	9/2003	Chiang et al.
a	P3	US 6,625,054	9/2003	Lowery et al.
<u>a</u>	103	US 6,642,102	11/2003	Xu

. . . .

Substit	ute for form 1449A/	B/PTO		Complete if Known		
00000	310 101 101111 1 4 4 5 7 6	··· · · ·		Application Number	10/663,741	
INF	ORMATI	ON DI	SCLOSURE	Filing Date	September 17, 2003	
ST	ATEMEN'	TBY	APPLICANT	First Named Inventor	Terry L. Gilton	
	,			Art Unit	2811	
	(Use as man	y sheets a	s necessary)	Examiner Name	Not Yet Assigned	
Sheet	3	of	3	Attorney Docket Number	M4065.0656/P656	

(A)	R3	US 6,646,297	11/2003	Dennison	
a	S3	US 6,649,928	11/2003	Dennison	
a	T3	US 6,667,900	12/2003	Lowery et al.	
on	U3	US 6,671,710	12/2003	Ovshinsky et al.	
a	V3	US 6,673,700	1/2004	Dennison et al.	
an	W3	US 6,674,115	1/2004	Hudgens et al.	
ar	X3	US 6,687,427	2/2004	Ramalingam et al.	
â	Y3	US 6,690,026	2/2004	Peterson	
	Z3	US 6,696,355	2/2004	Dennison	
av	A4	US 6,687,153	2/2004	Lowery	
a	B4	US 6,707,712	3/2004	Lowery	
a	C4	US 6,714,954	3/2004	Ovshinsky et al.	

	FOREIGN PATENT DOCUMENTS									
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>4</sup> (If known).	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	7°				

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner (	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

....

02-15-05

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

MAR 1 1 2004 W

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid CMB control number.

Sub	ostitute for form 1449A/B/	РТО		Complete if Known		
				Application Number	10/663,741-Conf. #2658	
IN	NFORMATIC	N DI	SCLOSURE	Filing Date	September 17, 2003	
S	TATEMENT	BY /	APPLICANT	First Named Inventor	Terry L. Gilton	
_				Art Unit	2811	
	(Use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	1	of	1	Attorney Docket Number	M4065.0656/P656	

	U.S. PATENT DOCUMENTS								
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> ( if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear				

		FOREIG	GN PATENT I	DOCUMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (il known)	Publication Date MM-OD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>6</sup>

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
a	EA	YOJI KAWAMOTO et al., "Ionic Conduction in As <sub>2</sub> S <sub>3</sub> -Ag <sub>2</sub> S, GeS <sub>2</sub> -GeS <sub>2</sub> -GeS-Ag <sub>2</sub> S and P <sub>2</sub> S <sub>5</sub> -Ag <sub>2</sub> S Glasses," Journal of Non-Crystalline Solids 20 (1976) 393-404.	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

05-15-05

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control outputs. Under the Paperwork Reduction Act of 1995, no persons are required to resp

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

11 Sheet 1 of

	Complete if Known
Application Number	10/663,741
Filing Date	September 17, 2003
First Named Inventor	Terry L. Gilton
Art Unit	N/A
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0656/P656

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
<i>(. /</i>	AA	2002/0000666	1/3/2002	Kozicki et al.	rigues Appeal
G.	AB	2002/0072188	6/13/2002	Gilton	
au	AC	2002/0106849	08/08/2002	Moore	
a~	AH	2002/0123169	09/05/2002	Moore et al.	·
a	Al	2002/0123170	09/05/2002	Moore et al.	
Or	AJ	2002/0123248	09/05/2002	Moore et al.	
The state of the s	AK	2002/0127886	09/12/2002	Moore et al.	
Gu	AL	2002/0132417	09/09/2002	Li	
gi.	AF	2002/0160551	10//31/2002		
<u>a</u> /	AG	2002/0163828	11/07/2002	Krieger et al.	
<u> </u>	AM	2002/0168820	11/2002	Kozicki	
C	AN	2002/0168852	11/14/2002	Harshfield et al.	
1/2/	AO	2002/0190289	12/19/2002	Harshfield et al.	
<u> </u>	AP	2002/0190350	12/19/2002	Kozicki et al.	
	AQ	2003/0001229	01/02/2003	Moore et al.	
01	AR	2003/0027416	02/06/2003	Moore	
- (A-)	AS	2003/0032254	02/13/2003	Gilton	
1	AT	2003/0035314	02/20/2003	Kozicki	
G/	AU	2003/0035315	02/20/2003	Kozicki	
av	AV	2003/0038301	02/27/2003	Moore	
a	AW	2003/0043631	03/06/2003	Gilton et al.	
as I	AX	2003/0045049	03/06/2003	Campbell et al.	
ar	AY	2003/0045054	03/06/2003	Campbell et al.	
$\overline{a}$	AZ	2003/0047765	03/13/2003	Campbell	
av	AA1	2003/0047772	03/13/2003	Li	
GV.	AB1	2003/0047773	03/13/2003	Li	
77/	AC1	2003/0048519	03/13/2003	Kozicki	
av	AD1	2003/0049912	03/13/2003	Campbell et al.	
CV	AE1	2003/0068861	04/10/2003	Li	
ON	AF1	2003/0068862	04/10/2003	Li	
Ch	AG1	2003/0095426	05/22/2003	Hush et al.	
Col	AH1	2003/0096497	05/22/2003	Moore et al.	
C	Al1	2003/0107105	06/12/2003	Kozicki	
Ca	AJ1	2003/0117831	06/26/2003	Hush	
Ch	AK1	2003/0128612	07/10/2003	Moore et al.	
_Ca/	AL1	2003/0137869	07/24/2003	Kozicki	
ON	AM1	2003/0143782	07/31/2003	Gilton et al.	
0~	AN1	2003/0155589	08/21/2003	Campbell et al.	
W	A01	2003/0155606	08/21/2003	Campbell et al.	
a/	AP1	2003/0156447	08/21/2003	Kozicki	
av.	AQ1	2003/0156463	08/21/2003	Casper et al.	
0:-	AR1	3,622,319	11/1971	Sharp	
Ch/	AS1	3,743,847	7/1973	Boland	
an	AT1	4,269,935	5/1981	Masters et al.	

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number. Under the Paperwork Reduction Act of 1995, no persons are required to resp

Sheet

Substitute for form 1449A/PTO

2

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

11

	Complete if Known
Application Number	10/663,741
Filing Date	September 17, 2003
First Named Inventor	Terry L. Gilton
Art Unit	N/A
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065 0656/P656

Sileer		<u></u>	01	t 1		Attorney Docket Harriber	IVI4005.00	30/1 000
0/	AU1 4,	312.938		1/1982	Drex	ler, et al.		
a	AV1 4,			1/1982		ers, et al.		
a	AW1 4,			3/1982		ikawa et al.		
Car				9/1983		subramanyam et al.		
a		419,421		12/1983 -		elhaus, et al.		
an		499,557		2/1985		berg et al.		
a		671,618		06/09/1987	Wu e	t al.		
an		795,657		1/1989	Form	igoni et al.		
a	AC2 4,	800,526		01/24/1989	Lewi	S		
a	AD2 4,	847,674		7/1989	Sliwa	et al.		
a		177,567		1/1993		y et al.		
a	AF2 5,	219,788		6/1993	Aber	nathey et al.	-	
a	AG2 5,	238,862		8/1993		ck et al.		
Ch	AH2 5,	272,359			Naga	isubramanian et al.		
CW	Al2 5,	314,772		5/24/1994	Kozio			
Cn	AJ2 5,			5/1994		moto et al.		<u></u>
a				9/1994		ner et al.	· · · · · · · · · · · · · · · · · · ·	
a	AL2 5,	360,981		11/1994		n et al.		
an	AM2 5,	500,532		3/19/1996		cki et al.		
a	AN2 5,	512,328		4/1996		imura et al.		
an	AO2 5,	512,773		4/1996	Wolf			
Ca/				3/1998	Taka			
av.		751,012		5/12/1998		tenholme et al.		
W		761,115		6/1998		cki et al.		
0	AS2 5,	789,277		8/1998		rik et al.		
a	AT2 5,	814,527		9/29/1998		tenholme et al		
la.	AU2 5,	818,749		10/06/1998				<del></del>
Co-	AV2 5,	841,150		11/1998		alez et al.	<del></del>	
CM	AW2 5,	846,889		12/1998		ison et al.		
a		851,882		12/22/1998		hfield	····	
an	AY2 5,			2/9/1999		hfield		
a		896,312		4/20/1999 6/22/1999		cki et al.		
a		914,893		7/1999	Rein	cki et al.		
a	AB3 5,	998,066		12/1999		c et al.		
a	AD3 6	031,287		2/29/2000		hfield		
10	AE3 6,	072 716		06/06/2000				
a		077,729		6/2000		hfield		
an	7	084,796	<del></del>	7/4/2000		cki et al.		
	AH3 6,			1/2001		et al.		
an	Al3 6,	117,720		9/2000		hfield		
(in		143,604		11/2000		ng et al.		
a	AK3 6,			5/2001		teinholme et al.		
	AL3 6,			10/2001		iel et al.		
a	AM3 6,	300,684		10/2001		alez et al.		
an	AN3 6,	316,784		11/2001		rik et al.		
a	AO3 6,	329,606		12/2001		man et al.		
a	AP3 6,	348,365		2/19/2002	Moor	e et al.		
a	AQ3 6,	350,679		2/2002	McD	aniel et al.		

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sheet

Substitute for form 1449A/PTO

3

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

	Complete if Known
Application Number	10/663,741
Filing Date	September 17, 2003
First Named Inventor	Terry L. Gilton
Art Unit	N/A
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065 0656/P656

a		6,376,284	4/2002	Gonzalez et al.
a		6,388,324	5/14/2002	Kozicki et al.
a	AT3	6,391,688	5/2002	Gonzalez et al.
a	AU3	6,414,376	7/2002	Thakur et al.
a		6,418,049	7/9/2002	Kozicki et al.
a		6,420,725	7/16/2002	Harshfield
a			7/2002	Li et al.
a			8/27/2002	Harshfield
a/		6,469,364	10/2002	Kozicki
a		6,473,332	10/2002	Ignatiev et al.
an	AB4	6,487,106	11/26/2002	Kozicki
on	AC4		11/13/2003	Kozicki et al
a		2003/0209971	11/13/2003	Kozicki et al
an		2003/0210564	11/13/2003	Kozicki et al
a		2002/0101765	08/01/2002	Mihnea et al.
Lav.	+	6,426,898	07/30/2002	Mihnea et al.
w		2002/0130351	09/19/2002	Ghodsi
Qa/		2002/0159292		Forbes
a		5,534,712		Ovshinsky et al.
2		2002/0163030	11/07/2002	Mandell et al.
I Ch		2002/0094640	07/18/2002	Forbes
	AM4	2002/0126533	09/12/2002	Kao

	<del>,</del>	FORE	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	1
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>6</sup> (If known)		Applicant of Cited Document	Passages or Relevant Figures Appear	76
9-	BA ,	56126916	10/19981	Akira et al.		
gn	BB *	WO 97/48032		Kozicki et al.		<del> </del>
		WO 99/28914		Kozicki et al.		<del> </del>
		WO 00/48196		Kozicki et al.		-
a	BE N	WO 02/21542		Kozicki et al.	<del></del>	╁╼┤

Examiner		
[Examiner]	Date	A - 8
Signature AGG	Considered	S-1C-05

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WiPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>6</sup> Kind of document by the appropriate symbols as indicated on the document under WiPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

7	Subs	titute for form 1449B/PTC	)			Complete if Known
1					Application Number	10/663,741
OFFICE	IN	FORMATION	1 DI	SCLOSURE	Filing Date	September 17, 2003
(8)	SI	TATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton
					Group Art Unit	N/A
		(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned
She	et	4	of	11	Attorney Docket Number	M4065.0656/P656

			OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	Т
Examiner Initials	Cite No.1		item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
a	CA	4	Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
a	СВ	1	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	
a	CC	1	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	
âr	CD	1	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
a	CE	đ	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	Γ
a	CF	1	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	
a	CG	t	Alekslejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
4	СН		Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	
a	CI		Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.	
a	CJ		Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
a/	СК		Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
an	CL		Axon Technologies Corporation, Technology Description: Programmable Metalization Cell(PMC), pp. 1-6 (Pre-May 2000).	
a	СМ		Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
Oh	CN		Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	
a	СО		Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
av	СР		Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	
an	CQ		Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	
a	CR		Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155- 160.	
a	cs		Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
a	СТ		Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	
a	CU		Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	
an	CV		Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982)	

	Oligor Fiel opposition
	Substitute for form 1449B/PTO
ß	INFORMATION STATEMENT B
	STATEMENT B
بعي	(use as many she

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

11

5

		Complete if Known		
	Application Number	10/663,741		
	Filing Date	September 17, 2003		
	First Named Inventor	Terry L. Gilton N/A		
	Group Art Unit			
	Examiner Name	Not Yet Assigned	;	
_	Attorney Docket Number	M4065 0656/P656		

		217-224.
air	cw	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State lonics 70/71 (1994) 72-76.
a	СX	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.
a	CY	Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073.
an	CZ	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703
av	CA1	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F.  Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.
a	CB1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.
a	CC1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.
a	CD1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.
a	CE1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.
ch	CF1	Boolchand, P.; Grothaus, J. Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 <sup>th</sup> (1985) 833-36.
an	CG1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.
a	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P. Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.
ū	CI1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.
a	CJ1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room- Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274.
an	CK1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.
an	CL1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.
a	CM1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.
ar	CN1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.
ow	CO1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.
a	CP1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.
an	CQ1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.
a	CR1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.
a	CS1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.
m	CT1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-

Substit	tute for form 1449B/PTO	)		C mplete if Known		
<u> </u>				Application Number	10/663,741	
) 별NF	ORMATION	I DI	SCLOSURE	Filing Date	September 17, 2003	
				First Named Inventor	Terry L. Gilton	
KOZ/			APPLICANT	Group Art Unit	N/A	
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned	
Shoot	6	Of	11	Attorney Docket Number	M4065 0656/P656	

	<u> </u>	Se, J. Non-Cryst. Solids 143 (1992) 162-180.	
a	CU1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.	
a	CV1	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832.	
ca	CW1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Films 110 (1983) 107-113.	
on	CX1	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.	
a	CY1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273.	
a	CZ1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.	
a	CA2	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J. Phys. 70A (1996) 507-516.	
a	CB2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.	
an	CC2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034.	
a	CD2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.	
an	CE2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.	
an	CF2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855.	
an	CG2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum 43 (1992) 253-257.	
an	CH2	Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.	
a	CI2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143.	
a	CJ2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.	
on	CK2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.	
or	CL2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71.	
an	CM2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744.	
a	CN2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP.	
av	CO2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018.	
an	CP2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269.	
_ مر	CQ2	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, and	

Sube	titute for form 14498/PTC	)		Complete if Known		
5000	aldie for family 14400m 10			Application Number	10/663,741	
INI	FORMATION	V DI	SCLOSURE	Filing Date	September 17, 2003	
/ S1	ATEMENT I	BY $\lambda$	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
heet	7	of	11	Attorney Docket Number	M4065.0656/P656	

a		scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52.
ân	CR2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.
a	CS2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.
a	CT2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.
a	CU2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.
a	CV2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.
û	CW2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.
a	CX2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.
Ch	CY2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.
a	CZ2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.
an	CA3	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982).
av	CB3	Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999).
an	ССЗ	Hirose et al., High Speed Memory Behavior and Reliability of an Amorphous As₂S₃ Film Doped Ag, Phys. Stat. Sol. (a) 61, pp. 87-90 (1980).
an	CD3	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As2S3 films, J. Appl. Phys. 47 (1976) 2767-2772.
on	CE3	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979).
av	CF3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.
an	CG3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.
a	СНЗ	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.
av	CI3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.
OV	CJ3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.
on	СКЗ	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).
a	CL3	lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.
an	СМЗ	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.

Substitu	ute for form 1449B/PT	0		Complete if Known		
000000	310 101 101111 1440011 14			Application Number	10/663,741	
INF	ORMATIO	N DIS	SCLOSURE	Filing Date	September 17, 2003	
E) ST	ATEMENT	BY A	PPLICANT	First Named Inventor	Terry L. Gilton	
		-		Group Art Unit	N/A	
	(use as many sh	eets as i	necessary)	Examiner Name	Not Yet Assigned	
heet	B	of	11	Attorney Docket Number	M4065 0656/P656	

Siledi		The state of the s									
a	CN3	lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.									
an	CO3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18.									
Car	CP3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.									
on	CQ3	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull. 8 (1973) 433-442.									
Con	CR3	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.									
a	CS3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-Cryst. Solids, pp. 1231-1234 (1993).									
a	СТЗ	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.									
a	CU3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.									
on	CV3	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.571) glasses, Solid state lonics 123 (1999) 259-269.									
ON	CW3	Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193.									
Ch	СХЗ	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.									
a	CY3	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.									
a	CZ3	Kolobov et al., Photodoping of amorphous chalcogenides by metals, Advances in Physics, 1991, Vol. 40, No. 5, pgs. 625-684.									
an	CA4	Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.									
av	CB4	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTI chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.									
a	CC4	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.									
av	CD4	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000									
a	CE4=	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000									
an	CF4	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.									
ON	CG4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.									
On	CH4	Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering 63 (2002) pgs 155-159.									
an	CI4	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19.									
a	CJ4	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.									
a	CK4	Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking AI contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132.									
·											

Substitu	ute for form 1449B/PTC	)		Complete if Known		
Obbain	515 107 101111 1445577 7 C			Application Number	10/663,741	
INF	ORMATION	I DI	SCLOSURE	Filing Date	September 17, 2003	
STA	ATEMENT I	3Y <i>A</i>	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
/	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
heet	9	of	11	Attorney Docket Number	M4065.0656/P656	

(		
Ch	CL4	Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.
a	CM4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.
an	CN4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.
Ch	CO4	Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2- V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.
an	CP4	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f
an	CQ4	Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.
an	CR4	Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.
a	CS4	Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.
CW	CT4	Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.
an	CU4	Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.
	CV4	Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.
a	CW4	Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.
a	CX4	Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.
a	CY4	Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.
	CZ4	Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron
a	024	nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.
a	CA5	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.
a	CB5	Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.
a	CC5	Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.
a	CD5	Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.
a	CE5	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.
a	CF5	Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54
a	CG5	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.
a	CH5	Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.
an	CI5	Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).
a	CJ5	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.
C C	ek5	Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the

s	ubstitute for form 1449B/PTC	)		Complete if Kn wn		
·				Application Number	10/663,741	
- 1	NFORMATION	I DI	SCLOSURE	Filing Date	September 17, 2003	
, ;	STATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
<u>}</u>				Group Art Unit	N/A	
5)	(use as many sho	eets as	necessary)	Examiner Name	Not Yet Assigned	
heet	10	of	11	Attorney Docket Number	M4065.0656/P656	

		chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.		
on	CL5	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.		
an	CM5	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.		
an	CN5	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in		
	CO5	amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.   Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te		
a	ODE	glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.		
a	[Liig. D12 (1992) 219-222.			
an	CQ5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.		
a	CR5	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.		
on	CS5	Rose, M.J.; Snell, A.J.; Lecomber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.		
a	CT5	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.		
an	CU5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.		
an	CV5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427.		
a	CW5	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).		
a	CX5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.		
a	CY5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.		
â	CZ5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.		
a	CA6	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.		
a	CB6	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.		
an	CC6	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.		
a	CD6	Tanaka, K.; Iizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.		
a	CE6	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.		
a	CF6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.		
a	CG6	Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.		
a	CH6	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.		
a	C16	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te		

	Su	bstitute for form 14498/PTC	)		Complete if Known		
	-				Application Number	10/663,741	
	11	VFORMATION	1 DI	SCLOSURE	Filing Date	September 17, 2003	
	S	STATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
7					Group Art Unit	N/A	
빞		(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Ş	et	11	of	11	Attorney Docket Number	M4065.0656/P656	
=7							

,e4	l	glasses, Phys. Rev. B 48 (1993) 14650-14652.	
a	CJ6	Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A.M.;Dexpert,H.;Lagarde,J.P., Silver chalcogenide glasses Ag-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International	
	<u> </u>	symposium. 9-13 September 1985.	
a	CK5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.	
a	CL5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.	
an	СМ6	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.	
an	CIN	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.	
â	CO6	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.	
an	CP6	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.	
a	CQ6	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.	
a	CR6	West, W.C.; Sleradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974	
a	CS6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998	
a	CS7	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope  dTg/d<m>  at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>	

		· · · · · · · · · · · · · · · · · · ·	
Examiner		Date I	
CAMINIE		Date	F 1
Cionatura	f /= [/ `	1 Canaldarad I	
Signature		Considered	3 13-0

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with pext communication to applicant.

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). 'Applicant is to place a check mark here if English language Translation is attached.